

Inspection-plusplus.org

Technical Aspects of I++DMS






Typical Interfaces along Product Development Chain / QA





Typical Interfaces along Product Development Chain / QA





Typical Interfaces along Product Development Chain / QA

Special

co

Effects on Quality Assurance

 CAD Information gets lost for downstream processes (features, tolerances, material thickness ...)

•Maintenance and change effort file-ba

- No free choice in software and hardware
- No comparability of inspection results.
- Proprietary exchange formats problematic for SW-vendors.

many proprietary interfaces ysis Executing

Semantics not synchronized

THE PO



The I++DMS Information Space

Goal: One information space; all application are contributing to and utilizing according to their needs. **Planing Programming** Global Information Space »GIS« CAD Offline **Executing Analysis**



The I++DMS Information Space – Motivation



- Dynamic of information.
 - → GIS is extendable; the service-based communication interface is extendable; exchange format is stable.



Relationships are essential → Inside the GIS, information is tightly correlated. Semantics through holistic viewpoint.



- Transparency: intellectual property must not drain away inside software applications.
 - → GIS meta level; I++ information model in the center.



Central Components of I++DMS


- Service-based communication: → Abstracting services from applications.
- Centralistic approach: information-orientation instead of applicationorientation.
 - → individual applications are replaceable; top-level automation becomes possible.
- Representation format: ULEO XML schema for all user date; commonlyunderstandable language.
- I++ Information model:
 - ...defines the vocabulary of applications in quality assurance inside the GIS.
 - ...is extendable by definition.
 - ...is available in release 0.9 today; Comments and questions are welcome († I++ Workshop).





Key Properties of I++DMS





Scalability: flexible applicability in multiple expansion stages


- Intensity: file-based vs. runtime communication
- Range of information to be exchanged (sub-set of GIS information)
- Exploitation of background knowledge (e.g. inspection strategies).

Openness:

- Compatible to any S/W application
- ...for new information sets.
- ...for new functionality (services, see SOA)
- ...for new communication technologies (WebServices, CORBA).




Universal Datamodel with XML scema and webservices as container for the I++ Information model






Client - Server Architektur





Effects of I++DMS











- Integrated information replaces information isles; Informational backbone.
- Downstream applications may use hardly accessible information (\(\frac{CAD}{} \); Basis for sophisticated and highly-specialized software.



(the fine print): certain loss in efficiency by principle (rising universality and expressivity).




The I++DMS Starter Kit

- Free delivery by I++ OEMs to foster spreading of I++DMS
- "Test bed" and documentation, consisting of freely available components…
 - ULEOserver
 - source code examples
 - documentation I++ information model
 - documentation of underlying technology
 Universal Linking of Engineering Objects
 (ULEO).
- Software service providers are offering technical support and software development.











GIS



















Johann.Zimmermann@DaimlerChrysler.com http://www.uleo.de